

CARPET CARE







Restorative Carpet Care

Restorative cleaning is the process that renews visibly soiled and dingy carpet. Carpet is generally walked on by thousands of shoes, food and drinks are spilled and dirt is constantly tracked in. Yet, carpets are expected to look their best at all times. Effective carpet care involves daily vacuuming and spotting, interim maintenance and the final component is restorative carpet care. With this three-pronged approach, a complete well-planned carpet care program will prolong the life of the carpet and enhance the image of any facility.

To begin the process, gather all the necessary supplies, which may include:

















Pre-Spray









Let's get started...



Always wear personal protective equipment when handling chemicals. Wear gloves when spotting carpet. Review the product labels and chemical SDS. When using a pump sprayer it must be properly labeled.

Prepare the floor...





Remove furniture and fixtures, then detail vacuum the carpet, paying special attention to corners and edges.

TIP: While you are vacuuming, take note of heavily soiled areas that may require special attention.





Dilute the pre-spray into the pump sprayer according to label directions.





Place Wet Floor signs blocking off the carpeted area to be cleaned.







Fill the extractor solution tank with warm water and add Last Step Carpet Rinse according to label.




2

Add one ounce of defoamer to the recovery tank









Treat spots and stains with carpet spotter.



Allow the products to dwell for at least 5 minutes.



Plug in the extractor and adjust the handle.
Beginning at the point farthest from the exit, turn on the power and engage the pump and vacuum brush mode.



7

Clean the carpet by squeezing the solution trigger while slowly pulling back in a straight path.



8

Release the solution trigger several feet before reaching the end of each cleaned path and continue pulling machine to pick up the excess solution.



9

Tip the extractor back on the rear tilt wheels and push the machine forward to the beginning of the next area to clean, overlapping each path by a few inches.





10

After a few passes, check your recovery tank. If there is excess foam, add more defoamer. When the water pickup stops or the recovery tank becomes full, unplug the power cord and empty the recovery tank. Add more defoamer to the recovery tank and more solution to the solution tank, then continue cleaning.



1

Traffic lanes and heavily soiled areas may require extra care. In those areas, clean with several repeated passes with the brushes without adding solution. This allows you to operate only the brush without over-wetting the carpet.



12

Use air movers to dry the carpet for 3-4 hours. In large areas, multiple air movers may be required.





Once the carpet is completely dry, remove the wet floor signs and return furnishings to their original positions.







When you are finished, empty and rinse the extractor tanks, clean the brushes, and wipe down the machine. Rinse out the pump sprayer. Return your supplies to the cleaning supply area.

Now that you have restored your carpet, continue your daily and interim maintenance programs to keep your carpets looking their best!

NOTES

Also see these other informative **Maintex Maintenance Training Series** brochures

















Order your janitorial supplies directly from **Maintex** • Visit us online at **maintex.com**



Corporate Office

13300 E. Nelson Avenue City of Industry, CA 91746 (800) 446-1888 Poway Branch 13575 Gregg Street Poway, CA 92064 (800) 261-4456